NATIONAL OS9

NEWSLETTER

Editor: Gordon Bentzen
8 Odin Street,
SUNNYBANK Qld. 4109.
(07) 345-5141

OCTOBER 1988

EDITOR : Sordon Bentzen

HELPERS: Bob Devries and Don Berrie

SUPPORT : Brisbane OS9 Level 2 Users Group

OS9 is the shape of things to come!

Are any of you thinking of purchasing a Compatible machine in the near future? If you do you may be in for a big surprise! "Big Blue" has suddenly found that MESS-DOS is just that, and that the power of the now available processors has finally surpassed the operating system. Viola! Now to introduce OS/2. A new operating system that allows - wait for it - Multi Tasking (!!!) and guess what else - sharable devices and files. It seems that IBM have finally found that in order to fully utilise the power of the 80386 chip, they needed to develop their own version of UNIX. And now we're gonna tell 'em that we've had all this for years!

Seriously, though. The message is that we have here an operating system that is still as modern as tomorrow, but is affordable, and runs on an affordable machine. At least when we speak about the CoCo Version. I would be interested to have any feedback form those of you who are using, or know of anyone else who is using other versions of OS9 on machines other than the CoCo. It would really help in the production of this Newsletter to know whether or not we have aimed in the right direction as far as content is concerned.

Why is OS9 so good? Well let's examine why we are apparently so happy with the system.

OS9 certainly has potential. There is no doubt about that. OS9 is fun to play with. In fact, to some of us that is the main attraction. It is a hackers delight. But I think that it goes deeper than that. The final value of the system will be judged upon the systems ability to provide an environment in which we can either do useful work, or provide a mechanism by which people can continue to learn about computing systems.

And OS9 has the ability to do all of this. We can play games, we can use it for business, we can use it for software development. Such a diversity of uses it what really makes the system so valuable.

This issue is the usual potpourri of goodies. We have included some comments and code from Bob Devries regarding the use of and some mistakes in the C windowing functions. Bob has really put some effort into this project of his, and he should be congratulated for his efforts.

As promised in an earlier Newsletter, this issue we are including the BasicO9 source code for a CoCo disk maintenance utility by Don Berrie called ZAP. As the source code is rather long, we will be only be able to publish it in two parts. The second, and final instalment will appear in next months newsletter. As you can see, we have formatted it into two columns to try to fit as much as we can onto the limited paper space that we have. The formatting is on a per page basis. That is, the right column on each page follows after the left column, and thence to the following page.

We have also included a review of a commercial OS9 game, which is sold by Tandy. This review has been written by Nickolas Marentes, the author of a number of commercial programmes.

In the next issue, we plan to have some notes on the topic of communication, particularly in relation to the use of a terminal for the CoCo. The ability to use your MS-DOS machine as a terminal running under OS9 on your CoCo will really use it much more effectively than it can be used running under its own operating system.

By now it should be a familiar plea. However, we cannot go on indefinitely producing this newsletter by using the efforts of just a few people. This is a <u>NEWSLETTER</u> and that means that we need your input. Without it the amount and the quality of the sheet must decline. So come on, share that small snippet. Send us that piece of code. Let's hear from some non-CoCo users about their machines.

Multi-Vue and the C Programming language.

Boy, ain't we got fun! Here I was, a raw beginner at the art of C programming, and I thought I'd look at the whys and wherefores of using the C libraries that came with the Multi-Vue package. Well, to start off with, I thought that by following the examples in the manual, I couldn't go wrong. However, not only was I wrong, I was also led completely astray. Let me give you some examples of how far wrong you can get. The first thing I thought I'd try was to use some of the CGFX. LIB calls as documented in the manual. Did I come unstuck! The major reason for my sticky situation was that the manual mis-spelled several of the function names. For example, _ss_umbar is incorrect, it has more than 8 characters which is not allowed in our version of C. The correct spelling is _ss_ubar. When I found that the linker was spitting that one out as 'unresolved external', I decided that I should do a dump of the new CGFX library, and see what exactly was in it.

You use RDUMP for that, right? Wrong! It seems that the new library is set up differently so that the new linker RLINK can use them and the setup is different and RDUMP comes back with an error message to the effect that the file is not ROF. I ended up using a modified version of the programme 'LIB' from the user group library disks to read it. This gave me a file called 'modlist' which contained the names of all the cgfx functions, and their correct spellings of course. Please note that the C compiler is case sensitive.

Well, after trying several of the simpler graphics functions, I thought I'd try something a little more pretentious, and try a framed window with pull-down menus a-la multi-vue. I read through the manual again, and started to write my little programme. All I wanted at first was to create the framed window on an existing graphics screen, but when I tried to compile it, the C compiler told me of errors in the file 'stdmenu.h'. After examining it and referring again to the C compiler manual, I found that the compiler does not allow macros to be longer than one line. The 'stdmenu.h' file is full of them!

I decided to do my own thing inside my programme. Using the mouse drivers was also an experience in that while the information in the multi-vue manual is more or less correct, it leaves out some very important information and omits to mention one necessary function call to _ss_gip without which the mouse won't work at all. So after fighting with it for a while I conferred with Don Berrie on how he did his mouse drivers in BasicO9 and there I found the missing call. After that session I worked out how to get the OS9 kernel to steer the graphics cursor around the screen with minimum of programming overhead. Now without further ado, here's the listing of the programme I have at this stage. Of course it was just a try out programme, and does not do anything at all except tell you what you selected.

```
#include (stdio.h)
#include (mouse.h)
#include (huffs.h)
#include (wind.h)
#define TRUE 1
#define FALSE 0
#define UPDATE 3
#define TIMOUT 10
#define FOLLOW 1
#define MOUSSI5 10
#define TNDY_MN {'T', 'a', 'n', 'd', 'y', '\0'}, MN_TNDY, 10, 9, 1, 0, 0, _tanitms
#define FILE_MN {'F', 'i', 'l', 'e', 's', '\0'}, MN_FILE, 10, 7, 1, 0, 0, _filitms
#define EDIT_MN {'E', 'd', 'i', 't', '\0'}, MN_EDIT, 6, 6, 1, 0, 0, _edtitms
#define WXMIN 40
#define #YMIN 24
#define RESERVED {'\0','\0','\0','\0','\0','\0','\0'}
#define RES5 {'\0','\0','\0','\0','\0'}
```

```
MIDSCR tanitms[] = {
                                                               sighandler(sig)
    {{'C', 'a', 'l', 'c', '\0'}, 1, RES5},
                                                               int sig:
    {{'C','l','o','c','k','\0'},1,RES5},
                                                                        sigcode = sig;
{{'C', 'a', 'l', 'e', 'n', 'd', 'a', 'r', '\0'}, 1, RES5},
                                                               }
    {{'C','a','n','t','r','a','l','\0'},1,RES5},
    {{'P','r','i','n','t','e','r','\0'},1,RES5},
                                                               main()
    {{'P','a','r','t','\0'},1,RES5},
    {{'H', 'e', 'l', 'p', '\0'},1,RES5},
                                                                        char path = 1;
    {{'S', 'h', 'e', 'l', 'l', '\0'}, 1, RES5},
                                                                        char ch:
    {{'C', 'l', 'i', 'p', 'b', 'o', 'a',
                                                                        int itemno:
'r','d','\0'},1,RES5}
                                                                        int quit = FALSE:
                                                                        setbuf(stdin, NULL);
MIDSCR filitms[] = {
                                                                        setbuf(stdout, NULL);
    {{'N', 'e', 'w', '\0'}, 1, RES5},
                                                                        CurOff(path):
    {{'O', 'p', 'e', 'n', '\0'}, 1, RES5},
                                                                        if (_ss_wset(path,WT_FWIN,&windat)<0)</pre>
    {{'S', 'a', 'v', 'e', '\0'}, 1, RES5},
                                                                                 exit(errno);
    {{`S', 'a', 'v', 'e', '', 'A', 's', '.', '.', '.', '.',
                                                                        intercept(sighandler);
'\0'},1,RES5},
    {{'A','b','a','n','d','o','n','\0'},1,RES5},
                                                                        SetGC(path,GRP_PTR,PTR_ARR);
    {{'P','r','i','n','t','\0'},1,RES5},
                                                                        _ss_gip(path,1,1,255,255);
    {{'Q','u','i','t','\0'},1,RES5}
                                                                        _ss_mous(path, UPDATE, TIMOUT, FOLLOW);
}:
                                                                        _ss_msig(path,MOUSSIG);
MIDSCR edtitms[] = {
                                                                        sigcode = 0:
    {{'U', 'n', 'd', 'o', '\0'}, 1, RES5},
                                                                        do {
    {{'C', 'u', 't', '\0'}, 1, RES5},
                                                                              _ss_msig(path,MOUSSIG);
    {{'C', 'a', 'p', 'y', '\0'},1,RES5},
                                                                             if (sigcode == 0)
    {{'P', 'a', 's', 't', 'e', '\0'}, 1, RES5},
                                                                                 tsleep(0):
    {{'C','l','e','a','r','\0'},1,RES5},
                                                                             if (sigcode == MOUSSIG)
    {{'S','h','o','w','\0'},1,RES5}
}:
                                                                                 sigcode = 0:
                                                                                 _gs_mous(path,&msinfo);
MNDSCR menus[] = {
                                                                                 if (msinfo.pt_stat == WR_CNTRL)
       (TNDY MN).
       {FILE_MN},
                                                                                   switch(_gs_msel(path,&itemno))
       {EDIT MN}
                                                                                   . (
       };
                                                                                      case MN CLOS:
                                                                                         quit = TRUE:
                                                                                         break;
WNDSCR windat = {
                                                                                      case MN TNDY:
{'A','p','p','l','i','c','a','t','i','o',
                                                                                         do_tandy_menu(itemno);
                                                                                         break;
'n','\0'},
                                                                                      case MN FILE:
       sizeof menus / sizeof menus[0],
       WXMIN,
                                                                                        do file menu(itemno);
       WYMIN.
                                                                                        break;
       WINSYNC
                                                                                      case MN EDIT:
       RESERVED.
                                                                                        do edit menu(itemno);
       nenus
                                                                                        break;
       };
                                                                                   printf("%c",12);
MSRET asinfo:
int sigcode;
                                                                             } while (!quit);
```

```
Set6C(path, 0, 0);
                                                                           break;
         _ss_rel(path);
                                                                        case 3:
        CurOn(path);
                                                                            printf("%c%c%c Save.",2,42,42);
        _ss_wset(path,WT_NBOX,&windat);
                                                                            break;
}
                                                                        case 4:
                                                                            printf("%c%c%c Save As...",2,42,42);
do tandy menu(item)
                                                                            break;
int item;
                                                                        case 5:
                                                                            printf("%c%c%c Abandon",2,42,42);
    char ch:
    switch(item)
                                                                        case 6:
        {
                                                                            printf("%c%c%c Print.",2,42,42);
        case 1:
           printf("%c%c%c Calc.",2,42,42);
                                                                            printf("%c%c%c Quit.",2,42,42);
           break;
        case 2:
                                                                           break;
           printf("%c%c%c Clock.",2,42,42);
                                                                        }
           break;
                                                                        printf("\n\n
                                                                                         Press any key..."):
        case 3:
                                                                        ch = getchar();
                                                                        printf("%c",12);
           printf("%c%c%c Calendar.",2,42,42);
                                                              }
        case 4:
           printf("%c%c%c Control.",2,42,42);
                                                              do_edit_menu(item)
                                                              int item:
           break;
           printf("%c%c%c Printer.",2,42,42);
                                                                  char ch:
                                                                  switch(item)
           break;
                                                                      {
        case 6:
           printf("%c%c%c Port.",2,42,42);
                                                                         printf("%c%c%c Undo.",2,42,42);
           break:
        case 7:
                                                                         break;
           printf("%c%c%c Help.",2,42,42);
                                                                      case 2:
                                                                         printf("%c%c%c Cut.",2,42,42);
           break;
        case 8:
                                                                         break;
           printf("%c%c%c Shell.",2,42,42);
                                                                      case 3:
                                                                         printf("%c%c%c Copy.",2,42,42);
        case 9:
                                                                         break:
           printf("%c%c%c Clipboard.",2,42,42);
                                                                      case 4:
                                                                          printf("%c%c%c Paste.",2,42,42);
           break;
                                                                          break:
        printf("\n\n
                            Press any key...");
                                                                      case 5:
                                                                         printf("%c%c%c Clear.",2,42,42);
        ch = getchar();
        printf("%c",12);
                                                                      case 6:
                                                                          printf("%c%c%c Show.",2,42,42);
do_file_menu(item)
int item:
                                                                          break;
                                                                      printf("\n\n
                                                                                       Press any key...");
     char ch;
                                                                      ch = getchar();
     switch (item)
           {
                                                                      printf("%c",12);
                                                              }
           case 1:
               printf("%c%c%c New.",2,42,42);
               break;
            case 2:
               printf("%c%c%c Open.",2,42,42);
```

ZAP

The following is the BasicO9 source code for one of my favourite home-baked programmes, an OS9 Level 2 disk zapper. For those purists amongst you, I apologise for the spaghetti. However, by way of apology, I have to say that this project just grew, and grew, and grew! Consequently, it was written without much planning or attention to sensibilities. To have such things as line numbers etc. is archaic. However what you see is what you get. While the code was written using the data in the CoCo OS9 Level 2 Manual as reference material, I hope that it will function on any OS9 system. I will provide a complete description of the programme in the next newsletter.

Don Berrie.

```
PROCEDURE zap
                                                                 PRINT #wpath, "## USE WITH CARE - PERMANENT
  BASE 0
                                                             CHANGES TO DISK STRUCTURE CAN BE MADE ##"
  DIM PAGE, PATH, wpath, fgnd, bgnd, bord: BYTE
                                                                 PRINT #wpath.
  DIM maxblock, ident, x, y, x1, y1: INTEGER
                                                                 RUN getdev(wpath, NAME, PATH, secdat, maxblock,
  DIM title:STRING[40]
                                                            ident)
  DIM CHOICE:STRING[25]
                                                                 PRINT #wpath,
  DIM outstr:STRING[18]
                                                                 RUN getsec(wpath, maxblock, BLKNO)
  DIM NAME: STRING[4]
                                                                 ON ERROR GOTO 100
  DIM DTA, NEWBYTE: BYTE
                                                              10 METER=BLKNO$256
  DIM COUNT, METER, BLKNO: REAL
                                                                 iblkno=BLKNO
  DIM OFFSET.ib1kno:INTEGER
                                                                 COUNT=0
  DIM secdat(256):BYTE
                                                                 SEEK #PATH,1
  DIM keypress:STRING[1]
                                                                 GET #PATH.secdat
  DIM flag: BOOLEAN
                                                                 IF secdat(14) #256+secdat(15) (>ident THEN
  flag=FALSE
                                                                   x=6 \x1=40 \y=8 \y1=8
  fand=0
                                                                   RUN winopen(wpath,x,y,x1,y1)
  bond=1
                                                                   PRINT #wpath
  bord=1
                                                                   PRINT #wpath," WARNING: DISK HAS BEEN
                                                            CHANGED! "
  OPEN #wpath, "/w": UPDATE
  RUN gfx2(wpath, "DWSET", 2, 0, 0, 80, 24, fgnd,
                                                                   PRINT #wpath, *
                                                                                      Press any key to continue
  RUN qfx2(wpath, "SELECT")
                                                                   GET #wpath.keypress
1 fgnd=4
                                                                  RUN winclose(wpath)
  band=5
  RUN gfx2(wpath, "OWSET", 1, 0, 0, 80, 24, fgnd, bgnd)
                                                                 SEEK #PATH, METER
  RUN gfx2(wpath, "OWSET", 0, 1, 0, 79, 24, fgnd, bgnd)
                                                                 GET #PATH, secdat
  x=0 \ y=0 \ x1=80 \ y1=24
                                                                 CLOSE #PATH
 outstr=""
                                                              11 RUN scn(wpath, NAME, iblkno, secdat)
 PAGE=0
                                                                 IF flag=TRUE THEN
  PRINT #wpath, CHR$ ($OC)
                                                                   keypress="A"
  RUN winopen(wpath,x,y,x1,y1)
                                                                   flao=FALSE
 PRINT #wpath,
                                                                   GOTO 21
  PRINT #wpath," ";
                                                                  ENDIF
  title="## DISK MAINTENANCE UTILITY
                                                             20 fgnd=0
  RUN header(wpath, title)
                                                                 bgnd=1
  PRINT #wpath, \ PRINT #wpath,
                                                                 RUN gfx2(wpath, "OWSET", 1, 6, 22, 32, 1, fgnd, bgnd)
                          (c) 1988 D.A.Berrie"
  PRINT #wpath."
                                                                 RUN gfx2(wpath, "CUROFF")
  PRINT #wpath,
                                                                 PRINT #wpath, " A C D E H-help M N P Q <= =>
 PRINT #wpath,"
                         Version 1.10 88/08/07"
 PRINT #wpath,
                                                                 GET #wpath, keypress
```

RUN gfx2(wpath,"CURON")	OPEN #PATH,NAME
RUN gfx2(wpath,"OWEND")	x=20 \y=12 \x1=40 \y1=5
21 CHOICE=keypress	RUN winopen(wpath,x,y,x1,y1)
IF CHOICE="D" OR CHOICE="d" THEN	RUN getsec(wpath,maxblock,BLKNO)
x=5 \x1=30 \y=10 \y1=6	G0T0 10
RUN winopen(wpath,x,y,x1,y1)	ENDIF
RUN getdev(wpath,NAME,PATH,secdat,maxblock,	IF CHOICE=CHR\$(9) THEN
ident)	OPEN #PATH, NAME
RUN getsec(wpath,maxblock,BLKNO)	BLKNO=BLKNO+1
GOTO 10	IF BLKNO>maxblock THEN
ENDIF	BLKN0=0
IF CHOICE="C" OR CHOICE="c" THEN	GOTO 10
x=40 \x1=30 \y=1 \y1=22	ENDIF
RUN winopen(wpath,x,y,x1,y1)	GOTO 10
RUN calc(wpath)	ENDIF
RUN winclose(wpath)	IF CHOICE=CHR\$(8) THEN
GOTO 20	
ENDIF	OPEN #PATH, NAME
	BLKNO-BLKNO-1
IF CHOICE="Q" OR CHOICE="Q" THEN	IF BLKNOKO THEN
PRINT #wpath, CHR\$(\$OC)	BLKNO=maxblock
RUN gfx2(1, "SELECT")	GOTO 10
RUN gfx2(wpath,"DWEND")	ENDIF
CLOSE #wpath	GOTO 10
END	ENDIF
ENDIF	IF CHOICE="P" OR CHOICE="p" THEN
IF CHOICE="A" OR CHOICE="a" THEN	25 x=25 \y=10 \x1=30 \y1=5
x=40 \x1=30 \y=1 \y1=23	COUNT=0
RUN winopen(wpath,x,y,x1,y1)	RUN winopen(wpath,x,y,x1,y1)
RUN ascii(wpath,secdat,keypress)	PRINT #wpath," Printing Sector ";
RUN winclose(wpath)	ON ERROR GOTO 30
IF keypress=CHR\$(8) OR keypress=CHR\$(9) THEN	OPEN #PATH,"/p"
,,	PRINT #PATH, "DEVICE : "; LEFT\$ (NAME,
flag=TRUE	LEN(NAME)-1); " "; "SECTOR: \$";
ENDÎF	PRINT #PATH USING "h4>",iblkno
GOTO 21	PRINT #PATH
ENDIF	PRINT #PATH, "Rel 0 1 2 3 4 5 6 7 8 9 A B C
IF CHOICE="M" OR CHOICE="m" THEN	DEF 02 4 68ACE"
RUN change(wpath,iblkno,secdat,PATH,NAME)	PRINT #PATH, *Addr
60TO 20	
ENDIF	FOR i=0 TO 255
IF CHOICE="E" OR CHOICE="e" THEN	IF COUNT=0 THEN
x=0 \y=0 \x1=80 \y1=24	PRINT #PATH USING "H2>",PAGE;
RUN winopen(wpath,x,y,x1,y1)	PAGE=PAGE+1
RUN directory(wpath)	PRINT #PATH," ";
· ·	· · · · · · · · · · · · · · · · · · ·
RUN winclose(wpath)	ENDIF
6010 20	PRINT #PATH USING "h2)", secdat(i);
ENDIF	COUNT=COUNT+1
IF CHOICE="H" OR CHOICE="h" THEN	IF secdat(i)<\$21 DR secdat(i)>\$7A THEN
$x=40 \ y=1 \ x1=30 \ y1=22$	outstr=outstr+"."
RUN winopen(wpath,x,y,x1,y1)	ELSE
RUN helpmess(wpath,keypress)	outstr=outstr+CHR\$(secdat(i))
RUN winclose(wpath)	ENDIF
G0TO 21	IF COUNT=16 THEN
ENDIF	PRINT #PATH," "; outstr
IE CHOICE="N" OR CHOICE="n" THEN	nutstr=""

```
COUNT=0
                                                                PROCEDURE scn
                                                                ON ERROR GOTO 100
          ENDIF
                                                                BASE 0
        NEXT i
      PRINT #PATH, CHR$($0C) -
                                                                PARAM wpath: BYTE
      CLOSE #PATH
                                                                PARAM NAME: STRING[4]
      PAGE=0
                                                                PARAM iblkno: INTEGER
                                                                PARAM secdat(256):BYTE
      RUN winclose(wpath)
                                                                DIM COUNT: REAL
      ENDIF
    GOTO 20
                                                                DIM i: INTEGER
    END
                                                                DIM PAGE: BYTE
30 errnum=ERR
                                                                DIM outstr:STRING[16]
    RUN winclose(wpath)
                                                                PRINT #wpath, CHR$ ($0C)
    IF errnum=246 THEN
                                                                PAGE=0 \outstr=""
                                                                COUNT=0
      x=25 \ y=10 \ x1=40 \ y1=5
      RUN winopen(wpath,x,y,x1,y1)
                                                                PRINT #wpath, "DEVICE : "; LEFT$ (NAME,
      PRINT #wpath, "PLACE PRINTER ONLINE - PRESS A
                                                            LEN(NAME)-1); " "; "SECTOR: $";
KEY";
                                                                PRINT #wpath USING "H4>",iblkno
      GET #wpath, keypress
                                                                PRINT #wpath,
                                                                PRINT #wpath, "Rel 0 1 2 3 4 5 6 7 8 9 A B C D
      keypress=""
      RUN winclose(wpath)
                                                                PRINT #wpath, "Addr -----
      60TO 25
      ENDIF
100 RUN closerr(wpath)
                                                                FOR i=0 TO 255
                                                                   IF COUNT=0 THEN
    FND
                                                                     PRINT #wpath USING "h2>",PAGE:
    PROCEDURE helomess
                                                                    PAGE=PAGE+1
    ON ERROR GOTO 100
                                                                    PRINT #wpath, " ";
    PARAM wpath: BYTE
                                                                    ENDIF
    PARAM keypress:STRING[1]
                                                                  PRINT #wpath USING "h2>", secdat(i);
    DIM title:STRING[40]
                                                                  COUNT=COUNT+1
    PRINT #wpath," ";
                                                                  IF secdat(i)<$21 OR secdat(i)>$7A THEN
    title="DISK MANAGEMENT HELP"
                                                                    outstr=outstr+"."
    RUN header(wpath.title)
                                                                    ELSE
    PRINT #wpath,
                                                                    outstr=outstr+CHR$(secdat(i))
    PRINT #wpath,
                                                                    ENDIF
    PRINT #wpath, "A - Produces Ascii dump"
                                                                  IF COUNT=16 THEN
    PRINT #wpath, "C - Calculator (Hex.)"
                                                                    PRINT #wpath
    PRINT #wpath, "D - Change RBF Device"
                                                                    COUNT=0
    PRINT #wpath, "E - Extended directory"
                                                                    ENDIF
    PRINT #wpath, "H - Produces this list"
                                                                  NEXT i
    PRINT #wpath, "M - Modify current sector"
                                                                PRINT #wpath
    PRINT #wpath, "N - Change sector number"
                                                                END
                                                            100 RUN closerr(wpath)
    PRINT #wpath, "P - Hardcopy of sector"
    PRINT #wpath, "Q - Quit program"
    PRINT #wpath, "<= (left arrow) - change"
    PRINT #wpath," to previous sector"
                                                                PROCEDURE winopen
    PRINT #wpath, "=> (right arrow) - change"
                                                                ON ERROR GOTO 100
    PRINT #wpath, " to next sector"
                                                                PARAM wpath: BYTE
    PRINT #wpath.
                                                                PARAM x,y,x1,y1:INTEGER
    PRINT #wpath, "Select Any Key";
                                                                RUN gfx2(wpath, "owset", 1, x, y, x1, y1, 1, 2)
    GET #wpath, keypress
                                                                RUN gfx2(wpath, "owset", 1, x+1, y+1, x1-2,
100 RUN closerr(wpath)
                                                                RUN gfx2(wpath, "owset", 1, x+2, y+2, x1-4,
    END
                                                            y1-4,0,1)
                                                                x=0 \y=0 \x1=0 \y1=0
```

```
PARAM wpath: BYTE
    END
                                                                   PARAM iblkno: INTEGER
100 RUN closerr(wpath)
   END
                                                                   PARAM secdat (256): BYTE
                                                                   PARAM PATH: BYTE
    PROCEDURE winclose
                                                                   PARAM NAME: STRING[4]
    PARAM woath: BYTE
                                                                   DIM x,y,x1,y1:INTEGER
    ON ERROR GOTO 100
                                                                   DIM kev:STRING[1]
    RUN gfx2(wpath, "owend")
                                                                   DIM hex:STRING[2]
    RUN gfx2(wpath, "owend")
                                                                   DIM a.b.c.d.ihex:INTEGER
                                                                   DIM flag: INTEGER
    RUN gfx2(wpath, "owend")
    END
                                                                   DIM first: BOOLEAN
100 RUN closerr (wpath)
                                                                   flag=0
    END
                                                                   a=5 \b=5 \c=5 \d=5
                                                                   RUN gfx2(wpath, "curoff")
    PROCEDURE ascii
                                                                   RUN gfx2(wpath, "CURXY", 5, 22)
                                                                   RUN gfx2(wpath, "CGLOR", 0, 1)
    ON ERROR GOTO 100
                                                                   PRINT #wpath, * 2~HEX-BYTES H-HELP W Q arrows
    BASE 0
    PARAM wpath: BYTE
    PARAM secdat (256): BYTE
                                                                   RUN gfx2(wpath, "COLOR", 4,5)
                                                                10 c=a \d=b
    PARAM keypress:STRING[1]
                                                                   RUN swopen(wpath,a,b,secdat)
    DIM i,count: INTEGER
                                                                   RUN gfx2(wpath, "owset", 1, 78, 23, 1, 1, 5, 5)
    DIM page: BYTE
    DIM outstr:STRING[16]
                                                                   GET #wpath, key
    outstr=""
                                                                   RUN gfx2(wpath, "owend")
                                                                11 hex=""
    page=0
    count=0
                                                                   first=FALSE
                         0 2 4 6 8 A C E*
                                                                   IF key=CHR$(10) THEN
    PRINT #wpath,"
    PRINT #wpath,"
                                                                     b=b+1
    FOR i=0 TO 255
                                                                     IF b=21 THEN
      IF count=0 THEN
                                                                       b=5
        PRINT #wpath USING "h2>",page;
                                                                        ENDIF
        page=page+1
                                                                     RUN swclose(wpath,a,b,c,d,secdat)
        PRINT #wpath,"
                                                                     60TO 10
                                                                     ENDIF
        ENDIF
      IF secdat(i)<$20 OR secdat(i)>$7A THEN
                                                                   IF key=CHR$(12) THEN
        outstr=outstr+"."
                                                                     b=b-1
        ELSE
                                                                     IF b=4 THEN
        outstr=outstr+CHR$(secdat(i))
                                                                       h = 20
                                                                        ENDIF
        ENDIF
      count=count+1
                                                                     RUN swclose(wpath,a,b,c,d,secdat)
      IF count=16 THEN
                                                                     60TO 10
        PRINT #wpath, outstr
                                                                     ENDIF
        outstr=**
                                                                   IF key=CHR$(9) THEN
                                                                     a=a+2
        count=0
                                                                     IF a=37 THEN
        ENDIF
      NEXT i
                                                                        a=5
    PRINT #wpath, "Select A Key";
                                                                        b=b+1
    GET #wpath, keypress
                                                                        IF b=21 THEN
                                                                         b=5
    FND
                                                                          ENDIF
100 RUN closerr(wpath)
                                                                        ENDIF
    END
                                                                     RUN swclose(wpath,a,b,c,d,secdat)
    PROCEDURE change
                                                                     60TO 10
    ON ERROR GOTO 100
                                                                     ENDIF
                                                                    IF key=CHR$(8) THEN
    BASE 0
```

```
GOTO 10
      a=a-2
      IF a=3 THEN
                                                                20 kev=""
        a = 35
                                                                   RUN swclose(wpath,a,b,c,d,secdat)
        b=b-1
                                                                   IF flag=1 THEN
        IF b=4 THEN
                                                                     x=10 \ \ x1=60 \ \ v=8 \ \ v1=8
          h = 20
                                                                     RUN winopen(wpath,x,y,x1,y1)
          ENDIF
                                                                     PRINT #wpath."
                                                                                       NO CHANGES SAVED TO DISK
        ENDIF
                                                                     PRINT #wpath.
      RUN swclose(wpath,a,b,c,d,secdat)
      GOTO 10
                                                                     PRINT #wpath,"
                                                                                       Press Any Key to Continue"
      ENDIF
                                                                     GET #wpath.kev
 15 IF ASC(key)>47 AND ASC(key)<58 OR ASC(key)>64
                                                                     RUN winclose(wpath)
AND ASC(key)<71 OR ASC(key)>96 AND ASC(key)<103
                                                                     ENDIF
THEN
                                                                   RUN gfx2(wpath, "CURXY", 5, 22)
      hex=hex+key
                                                                   PRINT #wpath, "
      IF first=TRUE THEN
        60TO 16
                                                                   RUN gfx2(wpath, "curon")
        ENDIF
                                                                   END
      first=TRUE
                                                               100 RUN closerr(wpath)
      key=""
      6ET #wpath, key
      60TO 15
                                                                   PROCEDURE swopen
                                                                   ON ERROR GOTO 100
 16 secdat((a-5)/2+(b-5) $16) = VAL("$"+hex)
                                                                   BASE 0
      flag=1
      RUN swopen(wpath,a,b,secdat)
                                                                   PARAM wpath: BYTE
                                                                   PARAM a,b: INTEGER
      a=a+2
      IF a=37 THEN
                                                                   PARAM secdat(256):BYTE
        a=5
                                                                   RUN gfx2(wpath, "curxy", a, b)
                                                                   RUN gfx2(wpath, "revon")
        b=b+1
        IF b=21 THEN
                                                                   PRINT #wpath USING "h2>", secdat((a-5)
          b=5
                                                               /2+(b-5) $16);
          ENDIF
                                                                   RUN gfx2(wpath, "curxy", a, b)
        ENDIF
                                                              100 RUN closerr(wpath)
      RUN swclose(wpath,a,b,c,d,secdat)
                                                                   END
      ENDIF
    IF key="W" OR key="w" THEN
                                                                   PROCEDURE swclose
      RUN swclose(wpath,a,b,c,d,secdat)
                                                                   ON ERROR GOTO 100
      RUN gfx2(wpath, "curon")
                                                                   BASE 0
                                                                   PARAM wpath: BYTE
      RUN modify(wpath, secdat, ib)kno,
PATH, NAME, flag)
                                                                   PARAM a,b,c,d:INTEGER
      END
                                                                   PARAM secdat (256):BYTE
      ENDIF
                                                                   RUN gfx2(wpath, "revoff")
    IF key="0" OR key="q" THEN
                                                                   RUN gfx2(wpath, "curxy", c, d)
      60TO 20
                                                                   PRINT #wpath USING "h2>".secdat((c-5)
                                                               /2+(d-5) $16);
      ENDIF
    IF key="H" OR key="h" THEN
                                                                   RUN gfx2(wpath, "curxy", a, b)
                                                                   END
      RUN swclose(wpath,a,b,c,d,secdat)
                                                              100 RUN closerr(wpath)
      x=45 \ \ y=1 \ \ x1=30 \ \ \ y1=22
      RUN winopen(wpath,x,y,x1,y1)
      RUN helpmess2(wpath,key)
      RUN winclose(wpath)
      60TO 11
      ENDIF
    key=""
```

KORONIS RIFT SOFTWARE REVIEW

By Nickolas Marentes (CoCo3 Commercial Programmer)

GAME SCENARIO:

You are a 'Techno-Scavenger', one who makes a living searching for abandoned technological systems. From galaxy to galaxy you roam collecting technological "junk" for resale. Life's tuff!
Suddenly, your instruments spring to life like they have never done so before. Radiation flux levels in the ten thousand range! Closer examination reveals that you have stumbled across the fabled "Koronis Rift". An ancient test ground for the most powerful weapons.

On descending into the rifts, you drive your Surface Rover across the planet surface, tracking down abandoned "Hulks". Once found, you send you Repo-Tech droid to loot it and return with any useful systems. You must analyze each module, working out what each module is, how much energy it has, how much it's worth and determine if you can put it to use in your own Surface Rover for increased capabilities.

Beware though, the planet is patrolled by Guardian Saucers which you must destroy or evade.

SAME PACKAGING:

The game comes very well presented in a professionally presented, colour box. Inside is a small well written booklet, a command card and a disk. Koronis Rift has been available for the Atari 400/800 and Commodore 64 computers before finally being released for the CoCo3. The documentation is designed for each computer with the command card being specific for the host system.

PROGRAM DEVELOPMENT:

The program is brought out by EPYX, a large U.S. software house who has mainly been supporting the Commodore 64 computer. The program is actually developed by a team called LUCASFILM LTD. which is the home computer software division of George Lucas's (Star Wars fame) special effects and film company. So, as you can see, Koronis Rift is no "backyard job". The CoCo3 version programmers are Edwin Rosenzweig and Ken Rogoway. The program runs under the CoCo3's OS-9 Level 2 system.

POSITIVE POINTS:

Good use of the OS-9 environment. Good use of the CoCo3's graphics (great title page!) making use of colour shades for added depth. Great game scenario of which much of the game terminology are trademarks of Lucasfilm Etd.

NEGATIVE POINTS:

Sound is a bit on the minus side, especially when compared with the Atari and Commodore versions but this is a speed limitation when running under OS-9 and the CoCo3's lack of a dedicated sound chip.

CLOSING COMMENTS:

Great program! The program is good value for money when one considers the professionalism of packaging, depth of script and development of special Fractal algorithms for the planet terrain. One very unfortunate thing

though, according to Tandy here in Australia, Koronis Rift is now a discontinued product! I for one am shocked that such good software, which hasn't had the chance to be marketed properly is being given the boot. I can think of other programs which Tandy are selling which I feel should be discontinued instead of this one (stay tuned for a future episode!). So, if you're planning on getting a new CoCo3 game, grab Koronis Rift before they completely disappear.

AVAILABLE: Tandy Electronics Stores
PRICE : \$52.46 (Discontinued price)
REQUIRES : 128K CoCo3 + Disk Drive

0000000

The following is a list of system error messages which may be of use as an easily accessable reference:

OS9 ERROR MESSAGES

218 - File already exists 183 - Illegeal window type 219 - Illegal block address 184 - Window already defined 185 - Font not found 220 - Data carrier detect lost 221 ~ Module not found 186 - Stack overflow 223 - Suicide attempt 187 - Illegal argument 224 - Illegal process num, ber 188 - unused 189 - Illegal Coordinates 226 - No children 190 - Internal integrity check 227 - Illegal SWI code 228 - Process aborted 191 - Buffer size too small 192 - Illegal command 229 - Process table full 230 - Illegal parameter area 193 - Screen or Window table is full 194 - Bad/Undefined buffer number 231 - Known module 232 - Incorrect module CRC 195 - Illegal window definition 196 - Window undefined 233 - Signal error 197 - unused 234 - Non-existent Module 235 - Bad Name 198 - unused 199 - unused 236 - Bad module header 200 - Path tabl full 237 - RAM full 238 - Unknown process ID 201 - Illegal path number 202 - Interrupt poling table full 239 - No task number available 240 - Unit error 203 - Illegal mode 241 - Sector error 204 - Device table full 205 - Illegal module header 242 - Write protect 206 - Module directory full 243 - CRC error 244 - Read error 207 - Memory full 245 - Write error 208 - Illegal service request 246 - Not ready 209 - Module busy 247 - Seek error 210 - Boundary error 248 - Media full 211 - End of file 249 - Wrong type 212 - Returning non-allocated memory 250 - Device ready 213 - Non-existing segment 251 - Disk ID change 214 - No permission 215 - Bad path name 252 - Record is locked out 216 - Path name not found 253 - Non-sharable file busy 254 - I/O deadlock errror 217 - Segment list full